

Further information and help

If you have any questions regarding your appointment time or the examination your doctor/ healthcare professional has asked for, please contact the Radiology Department.

Radiology Department

Tel: 01851 708224

Open: Monday-Friday from 8.30am-5pm

We are listening - how did we do?

We welcome your feedback, as it helps us evaluate the services we provide. If you would like to tell us about your experience:



- speak to a member of staff
- visit our website www.wihb.scot.nhs.uk or share your story at: www.careopinion.org.uk or tel. 0800 122 31 35
- tel. 01851 704704 (ext 2236) Monday-Friday between 10am-4pm.

Version: 1 Review Date: April 2027
Written by: Radiology Department, Western Isles Hospital

Disclaimer

The content of this leaflet is intended to augment, not replace, information provided by your clinician. It is not intended nor implied to be a substitute for professional medical advice. Reading this information does not create or replace a doctor-patient relationship or consultation. If required, please contact your doctor or other health care provider to assist you to interpret any of this information, or in applying the information to your individual needs.

© NHS Western Isles Copyright 2025.
All rights reserved.



Bòrd SSN nan Eilean Siar
NHS Western Isles

Radiology Department

Omnipaque 300 Intravenous



Patient information leaflet

What is Omnipaque?

Omnipaque is a contrast medium (dye) which contains iodine and is for diagnostic use only.

It is used to show clearly on x-rays the area of the body your doctor wants to investigate. For this CT scan it will be in your intestines.

A CT information leaflet is included with your appointment letter.

How do I take Omnipaque?

In this instance the Omnipaque will be given to you via an injection.

When should it not be taken?

You should not take Omnipaque if you:

- are hypersensitive to iodine
- have a known allergy to iodine
- are, or think you may be, pregnant.

If you are subsequently tested for a thyroid disorder, always tell your doctor. Omnipaque may make the test or treatment less effective for several weeks.

Despite being manufactured to be used as an injectable medicine, it can also be safely drunk as a solution when diluted.

Possible side-effects

Like all medicines, Omnipaque can cause

side-effects, although not everybody gets them. Serious reactions (including anaphylaxis) are only seen on rare occasions.

Effects associated with Omnipaque are usually mild to moderate and are temporary in nature.

If you notice any of the following symptoms, please inform a member of staff immediately:

- Itching of the skin, rash, weal's on the skin (urticaria)
- Difficulty breathing, gagging, feeling of suffocation
- Swelling of the face, neck or body
- Itchy or watery eyes, tickling in the throat or nose, hoarseness, coughing or sneezing
- Headache, dizziness, feeling faint
- Feeling particularly hot or cold, sweating
- Paleness or reddening of the skin
- Chest pain, cramp, tremor
- Feeling sick.

These may be the first sign of an allergic reaction, and you may require treatment.

If you are taking the Omnipaque at home, contact your GP or if the symptoms are severe, call **999** immediately. If you are in hospital inform staff immediately.

Apart from the symptoms listed opposite, other side effects you may experience are:

- diarrhoea
- nausea
- vomiting
- abdominal pain.

Delayed reaction can occur. If side-effects are serious, or if you notice any side-effects not listed, please inform your doctor or the Radiology Department.

Taking other medications

You can continue to take your regular prescribed medication(s) with Omnipaque, unless instructed otherwise.

How to store Omnipaque

- Keep out of reach and sight of children.
- Do not use after the expiry date on the bottle.
- Store at or below 30 degrees Celsius and protected from light.
- Check that the bottle is sealed and undamaged.

Further information

- Keep retain this leaflet for future use.
- If you have any further questions, please contact the Radiology Department using the contact number on your appointment letter.
- If any of the side-effects become serious, or you notice any side-effects not listed in this leaflet, please inform your doctor or the staff in the Radiology Department.